


Workbook



NEVER LET GO®

Gravity never stops.



NLG has helped thousands of companies
stop drops in over 70 different countries.
And this is only the beginning.

And neither will we.

Trusted by



Balfour Beatty



ExxonMobil

Ørsted



Accreditations



Workbook	Safety / Innovation	04
	NLG Labs™	06
	Advanced Safety Engineering™	08
	123 Tool Tethering™	10
	Zero Drops™	12
	Services	14
	Safety Academy™	16
	Awareness	18
Products	Droplok®	20
	Kits	22
	Tether Points	36
	Tool Lanyards	52
	Anchor Points	72
	Accessories	78
	Storage	84
	Containment	102
	Product Index	106

Contents



Safety

Safety first,
second and
third.

We can't change the laws of physics. But we can change the way we build things. So we make safety a science.

It's also why NLG gear keeps getting better. It's the philosophy of incremental improvement. It's what happens when you put research and data at the heart of everything you do. When you never stop experimenting and testing. All without forgetting the people we serve.

This is innovation in action. And it's why we're doing everything differently at NLG.



Groundbreaking
innovation in drop
prevention.




At NLG, everything starts with safety. And ends with safety.

NLG devices and equipment are engineered to keep your tools and equipment secure in the most extreme environments. Advanced safety features come as standard and can't be disabled by mistake. NLG ID takes the effort out of inspection, compliance and tracking. And because many of these unique designs are available across the whole NLG range, it's easy for safety teams to drive consistency quickly across large complex projects.

Innovation



Change



Our foundation for the future. NLG Labs is our research, design, and testing institute — and the epicentre of our thinking on safety. It's a lab which brings cutting-edge technology and the brightest minds together. A lab where gravity-defying design and ingenious innovation meet. With one clear purpose — saving lives.

NLG innovation is already changing the way people work at height — from mining to telecoms and renewable energy.

The future of tool tethering is happening today. At NLG, we thrive on pushing the boundaries of possible as we enter a new era of drop prevention equipment.

One thousand hours of testing have led us here. And there'll be many thousands more to come.

is in

the air

Advanced Safety Engineering™

SERIAL-NUMBERED, THIRD-PARTY TESTED AND CERTIFIED

Every NLG product is built from the ground up to protect people, performance and productivity. What does this mean for you? It costs less, saves time, boosts the safety and confidence of your workforce.

Rigorous independent testing guarantees the highest standards. And third-party test laboratory issued certification for each product, be it ANSI 121-2018, CE, UKCA or NS 9611:202, give you have the ultimate peace-of-mind, with a process backed by external verification and accountability.

It's why the world's most demanding safety leaders choose NLG.

NLG ID TAKES THE EFFORT OUT OF INSPECTION, COMPLIANCE AND TRACKING

Need instructions? Or Declaration of Conformity? No problem. Simply scan the unique NLG ID with your phone and get instant access. Now you have detailed product data at your fingertips — for a specific product serial number!

NLG ID is much more than a super-easy way to keep track and record inspections of your safety equipment. It's a fast, simple and secure way to access video instructions, certificates, check-lists and more.

Never has safety technology been so simple — and so powerful.



123

Tool
Tethering™

DAICON
TRADING CO., LTD.



A clever 3-step system
to ensure every tool is
tethered correctly.
Every time.



1

TETHER POINT

Create a secure attachment point on the tool.

2

TOOL LANYARD

Choose the best tool lanyard for your task.

3

ANCHOR POINT

Select between wristband, belt, harness or fixed point.



Big project? Complex implementation? Here's the risk-free way to get started. The safest companies are using this proven system to get to Zero Drops fast (in less than 90 days!)

Being responsible for your team's safety is already a big job.

And on top of that, trying to introduce new and complex safety initiatives is tiring. And frustrating when they don't deliver the results you want.

We get it! That's why we developed the Zero Drops Program™. After years of working with international safety leaders on complex projects, we distilled everything down into a proven step-by-step plan.

3 CORE PHASES OF THE ACT FRAMEWORK™

The proven ACT Framework™ makes it exceptionally easy for you to deploy the Zero Drops Program - for even the biggest projects. We've done the hard work, so you don't have to. So here's a proven roadmap that takes the guesswork out, and puts confidence in.

PHASE 1: AUDIT

Your company and projects

PHASE 2: CERTIFY

Your team


PHASE 3: TETHER

Your tools and equipment

To learn more or get started:
neverletgo.com/start



Services



Expert help is on hand. Get support to ensure you succeed.

DROPPED OBJECT AUDITS

Our Dropped Object Audits are your shield against unseen workplace dangers, unearthing hidden hazards with unparalleled precision. Choose NLG, and you're investing in peace of mind, transforming potential threats into actionable insights for uncompromised safety.

DROPPED OBJECT POLICY

Our robust Dropped Object Policy is your blueprint for a unique, tailor-made fortress of safety, fostering an enduring culture of safety. Don't settle for standard; opt for our bespoke policies, and commit to preserving the well-being of your most valuable asset—your employees.

DROPPED OBJECT INSPECTIONS AND RISK ASSESSMENT

Our Dropped Object Inspections and Risk Assessments are your compass in the labyrinth of hidden dropped object hazards. Stand tall against uncertainty, transform risk into resilience, and make informed decisions that safeguard your people (and your bottom line).

IMPLEMENTATION SUPPORT

Ignite a safety revolution with our Implementation Support for Dropped Object Programs, guiding you through every stage of flawless execution. Rise above the ordinary with us as we transform your safety aspirations into reality, overcoming even the toughest challenges.



Our Safety Academy is not just a program; it's a revolution — a bold stride towards a safer global workspace.

We offer four distinct training options, each meticulously tailored to cater to your unique needs and industry specifics.

ONLINE SAFETY ACADEMY

This is not your ordinary online course. It's a digital safety powerhouse, available anytime, anywhere.

TOOL TETHERING CHAMPION TRAINING

This isn't just a course. It's a mission, designed to transform your nominated individuals into safety champions.

ONSITE WORKSHOP

This isn't just a training session. It's a hands-on safety experience, delivered right where you need it most — at your location.

AWARENESS VIDEO PACKAGE

This isn't just a video. It's a safety masterclass, customized to your specific needs packaged with the NLG Learning Hub Board.

Safety Academy™



CODE

101467

DIMENSIONS

100H X 200W (CM)

Awareness Tools

123 Tethering Board System



CODE

101468

DIMENSIONS

60H X 40W (CM) X 4

Showcase best practice and make your learning experience interactive, immersive, and unforgettable with the NLG Learning Hub Board.

This 2M x 1M board visually outlines the 123 tool tethering methodology, complete with physically mounted products for hands-on learning. It serves as a constant, impactful reminder to all site operatives of the importance of adhering to safety protocols.

Droplök®

↳ Coming Soon

Carabiners have served the height safety industry well for decades. But when it came to tool tethering, we asked ourselves: could something be done better?

Could we engineer a connector that is smaller, safer, smarter and more intuitive? A connector that that eliminated poor practice and human error.

So, NLG Lab technicians spent years researching, designing and testing.

The result: Droplök®. Not only is it the future of tool tethering, it is a radically safer design.

MAX LOAD	3KG / 6.6LBS
SAFETY STANDARDS	CE UK CA ANSI/SEA 121-2018 NS 9811: 2022+AC (10)







Kits ^[22]



Drill Harness™ Kit

This kit includes:

- 1 x Drill Harness (101663)
- 1 x Bungee Tool Lanyard (101372)
- 1 x BiLock Anchor (101422)
- 1 x Airpark (101717)

CODE

101734

5,990 THB



NLG Phone Harness™ Kit

This kit includes:

- 1 x Phone Harness (101600)
- 1 x Mini Coil Lanyard (101371)

CODE

101700

1,990 THB





NLG Mobile Phone Tool Tethering Kit



This kit includes:

- 1 x Phone Case [101383]
- 1 x Mini Coil Tool Lanyard [101371]
- 1 x BiLock™ Velcro Anchor [101422]

CODE

101560

3,500 THB



NLG Radio Tethering Kit



This kit includes:

- 1 x Radio Pouch [101418]
- 1 x Mini Coil Tool Lanyard [101371]
- 1 x Mini Adhesive D Ring [101418]

CODE

101661

3,500 THB



NLG Screwdriver Tool Tethering Kit



This kit includes:

- 1 x Spin Tether™ [101670]
- 1 x Short Coil Tool Lanyard, Quick Clip™ [101364]
- 1 x Adjustable Wristband [101365]

CODE

101556

2,890 THB



NLG Small Hand Tool Tethering Kit



This kit includes:

- 1 x Small D Ring Tool Tether (101361)
- 1 x Tether Tape™ (101355)
- 1 x Short Coil Tool Lanyard, Quick Clip™ (101364)
- 1 x Adjustable Wristband (101365)

CODE	101558
------	--------

4,750 THB



NLG Spanner Tool Tethering Kit



This kit includes:

- 1 x Tether Ring™, Medium (101273)
- 1 x Extended Bungee Tool Lanyard (101434)

CODE	101555
------	--------

2,500 THB



NLG Tape Measure Tool Tethering Kit




This kit includes:

- 1 x Tape Measure Tether (101414)
- 1 x Lightweight Coil Tool Lanyard (101493)

CODE	101553
------	--------

2,890 THB



NLG Hammer Tool Tethering Kit



This kit includes:

- 1 x Tether Loop™, 150 [101381]
- 1 x Bungee Tool Lanyard [101372]
- 1 x Hammer Holster [101496]

CODE

101554

5,900 THB



NLG Nips Tool Tethering Kit




This kit includes:

- 1 x 360 D Ring Locking Loop Tool Tether [101495]
- 1 x Tether Tape™ [101355]
- 1 x Extended Coil Tool Lanyard [101476]
- 1 x Tool Holster [101470]

CODE

101559

7,900 THB



Heavy Duty Power Tool Tethering Kit



This kit includes:

- 1 x Tether Choke™, Single Arm [101368]
- 1 x Tether Tape™ [101355]
- 1 x Heavy Duty Bungee Tool Lanyard [101373]

CODE

101557

6,500 THB



NLG 5 Tool Modular Tethering Kit



This kit includes:

- 1 x Tether Tape™ (101355)
- 2 x Large D Ring Tool Tether (101362) 3 x
- Small D Ring Tool Tether (101361)
- 1 x NLG Short Coil Tool Lanyard (101364) 1
- x Adjustable Wristband (101365)

CODE

101538

6,500 THB



NLG 10 Tool Modular Tethering Kit



This kit includes:

- 2 x NLG Bungee Tool Lanyard (101372)
- 1 x NLG Belt Loop Anchor (101366)
- 1 x NLG Tether Tape™ (101355)
- 4 x NLG Large D Ring Tool Tether (101362) 4 x
- NLG Small D Ring Tool Tether (101361)
- 1 x NLG 360 D Ring Loop Tool Tether (101363) 1
- x NLG Tether Loop™, 150 (101381)

CODE

101539

12,500 THB



NLG 25 Tool Modular Tethering Kit



This kit includes:

- 1 x NLG Bungee Tool Lanyard (101372)
- 1 x NLG Heavy Duty Bungee Tool Lanyard (101373) 1 x
- NLG Belt Loop Anchor (101366)
- 1 x NLG Short Coil Tool Lanyard, Quick Clip™ (101364) 1
- x NLG Adjustable Wristband (101365)
- 2 x NLG Tether Tape™ (101355)
- 8 x NLG Large D Ring Tool Tether (101362)
- 8 x NLG Small D Ring Tool Tether (101361)
- 2 x NLG Tether Ring™, Medium (101273)
- 2 x NLG Tether Ring™, Large (101275)
- 2 x NLG Tether Loop™, 150 (101381)
- 2 x NLG Spin Tether™ (101670)
- 1 x NLG 360 D Ring Loop Tool Tether (101363)

CODE

101540

23,500 THB



NLG 50 Tool Tethering Kit



This kit includes:

- 5 x NLG G0™ Bungee Tool Lanyard [101518]
- 2 x NLG Short Coil Tool Lanyard, Quick Clip™ [101364]
- 2 x NLG Adjustable Wristband [101365]
- 4 x NLG Tether Tape™ [101355]
- 16 x NLG Large D Ring Tool Tether [101362]
- 16 x NLG Small D Ring Tool Tether [101361]
- 4 x NLG Tether Ring™, Medium [101273]
- 4 x NLG Tether Ring™, Large [101275]
- 2 x NLG Tether Loop™, 150mm [101381]
- 2 x NLG Spin Tether™ [101670]
- 2 x NLG 360 D Ring Loop Tool Tether [101363]
- 1 x NLG Heavy Duty Bungee Tool Lanyard [101373]
- 1 x NLG Tether Choke™, Single Arm [101368]
- 1 x NLG Aero Pouch™ Clear [101573]
- 1 x NLG Ascent Pouch™ [101520]

CODE

101614

53,500 THB

NLG 100 Tool Tethering Kit



This kit includes:

- 5 x NLG G0™ Bungee Tool Lanyard [101518]
- 5 x NLG G0™ Bungee Tool Lanyard, Twin Carabiner [101519]
- 4 x NLG Short Coil Tool Lanyard, Quick Clip™ [101364]
- 4 x NLG Adjustable Wristband [101365]
- 8 x NLG Tether Tape™ [101355]
- 30 x NLG Large D Ring Tool Tether [101362]
- 30 x NLG Small D Ring Tool Tether [101361]
- 10 x NLG Tether Ring™, Medium [101273]
- 10 x NLG Tether Ring™, Large [101275]
- 4 x NLG Tether Loop™, 150mm [101381]
- 4 x NLG Spin Tether™ [101670]
- 4 x NLG 360 D Ring Loop Tool Tether [101363]
- 1 x NLG Heavy Duty Bungee Tool Lanyard [101373]
- 1 x NLG Tether Choke™, Single Arm [101368]
- 1 x NLG Tether Choke™ [101367]
- 1 x NLG Aero Pouch™ Clear [101573]
- 1 x NLG Ascent Pouch™ [101520]
- 1 x NLG Ascent Bucket™ [101360]

CODE

101615

115,000 THB



NLG Wind Technicians Tethering Kit

This kit includes:

- 2 x NLG Large D Ring Tool Tether (101362)
- 3 x NLG Small D Ring Tool Tether (101361)
- 1 x NLG Tether Tape™ (101355)
- 2 x NLG Mini Adhesive D Ring (101481)
- 5 x NLG Tether Ring™, Medium (101273)
- 5 x NLG Tether Ring™, Large (101275)
- 3 x NLG Tether Loop™, 150 (101381)
- 1 x NLG Adjustable Wristband (101365)
- 1 x NLG Short Coil Tool Lanyard (101364)
- 1 x NLG Phone Case (101383)
- 1 x NLG Extended Bungee Tool Lanyard (101434)
- 1 x NLG Bungee Tool Lanyard (101372)
- 2 x NLG Mini Coil Tool Lanyard (101371)
- 1 x NLG Mini Retractable Tool Lanyard (101564)
- 1 x NLG Heavy Duty Bungee Tool Lanyard (101373)
- 1 x NLG TriLock™ Velcro Anchor (101454)
- 1 x NLG Ascent Pouch™ (101520)
- 1 x NLG Aero Pouch™ (101400)

CODE

101616



53,500 THB



NLG Rope Access Tethering Kit

This kit includes:

- 1 x NLG Ascent Pouch™ (101520)
- 1 x NLG Mini Coil Tool Lanyard (101371)
- 1 x NLG Mini Adhesive D Ring (101481)
- 1 x NLG Coil Tool Lanyard (101370)
- 1 x NLG Bungee Tool Lanyard (101372)
- 1 x NLG Heavy Duty Bungee Tool Lanyard (101373)
- 1 x NLG Tether Choke™, Single Arm (101368)
- 1 x NLG Tether Tape™ (101355)
- 2 x NLG Small D Ring Tool Tether (101361)
- 2 x NLG Large D Ring Tool Tether (101362)
- 2 x NLG Tether Loop™, 120mm (101380)

CODE

101619

21,900 THB





NLG Telecoms Tethering Kit

This kit includes:

- 2 x NLG Extended Coil Tool Lanyard [101476]
- 3 x NLG Small D Ring Tool Tether [101361]
- 3 x NLG Large D Ring Tool Tether [101362]
- 5 x NLG Tether Ring™, Medium [101273]
- 5 x NLG Tether Ring™, Large [101275]
- 5 x NLG Tether Ring™, Small [101466]
- 2 x NLG Tether Tape™ [101355]
- 2 x NLG 360 D Ring Loop Tool Tether [101363]
- 2 x NLG Extended Bungee Tool Lanyard [101434]
- 1 x NLG Heavy Duty Bungee Tool Lanyard [101373]
- 4 x NLG Spin Tether™ [101670]
- 1 x NLG Ascent Pouch™ [101520]
- 1 x NLG Aero Pouch™ [101400]
- 1 x NLG Mini Coil Tool Lanyard [101371]
- 1 x NLG Phone Case [101383]

CODE	101617
------	--------

36,900 THB





NLG Linesman Tethering Kit

This kit includes:

- 1 x NLG Linesman Bag [101421]
- 2 x NLG Extended Bungee Tool Lanyard [101434]
- 1 x NLG Extended Coil Tool Lanyard [101476]
- 1 x NLG Heavy Duty Bungee Tool Lanyard [101373]
- 1 x NLG Tether Tape™ [101355]
- 2 x NLG Large D Ring Tool Tether [101362]
- 3 x NLG Small D Ring Tool Tether [101361]
- 1 x NLG Tether Shackle, Large [101603]
- 1 x NLG Tether Shackle, Medium [101602]

CODE

101618

25,900 THB





Construction Tool Tethering Kit

This kit includes:

- 2 x NLG G0™ Bungee Tool Lanyard (101518)
- 1 x NLG Superlight Safety Tool Belt (101420)
- 2 x NLG Belt Loop Anchor (101366)
- 1 x NLG Tether Tape™ (101355)
- 2 x NLG Large D Ring Tool Tether (101362)
- 3 x NLG Small D Ring Tool Tether (101361)

CODE

101542

12,000 THB





MEWP Tool Tethering Kit

This kit includes:

- 1 x NLG MEWP Bag (101423)
- 5 x NLG Extended Bungee Tool Lanyard (101434)
- 1 x NLG Tether Tape™ (101355)
- 4 x NLG Large D Ring Tool Tether (101362)
- 4 x NLG Small D Ring Tool Tether (101361)

CODE

101541

29,000 THB





Tether Points^[31]





Tether Tape™

5 / 11

Tether Tape™ uses advanced self-fusing silicone technology to create load rated tether points on any tool in seconds.

CODE → GREEN	101355
CODE → ORANGE	101479
MAX LOAD	5KG / 11LBS
DIMENSIONS	25MM X 2.8M
SAFETY STANDARDS	CE UK ANSII/SEA 121-2018 NS 9811: 2022+AC

2,500 THB





Large D Ring

3 / 6.6



Attach the Large D Ring Tool Tether with Tether Tape™ to create an instant attachment point on any large hand tool.

CODE	101362
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	100MM X 25MM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

490 THB



Small D Ring

1 / 2.2



Attach the Small D Ring Tool Tether with Tether Tape™ to create an instant attachment point on any small hand tool.

CODE	101361
MAX LOAD	1KG / 2.2LBS
DIMENSIONS	60MM X 12MM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

450 THB



Non-conductive D Ring

1 / 2.2



Attach the Non-Conductive D Ring Tool Tether with Tether Tape™ to create an instant metal-free attachment point on any small hand tool.

CODE	101375
MAX LOAD	1KG / 2.2LBS
DIMENSIONS	60MM X 12MM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

450 THB



Tether Loop™ 3 / 6.6



Tether Loops™ make great all-round tether points that are effortless to self-install, anywhere at anytime.

CODE → 120MM	101380
CODE → 150MM	101381
CODE → 170MM	101413
MAX LOAD	3KG / 6.6LBS
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2016 NS 9811: 2022+AC

120MM = 490 THB
150MM = 550 THB
170MM = 550 THB



Tether Loop™ Fixed 3 / 6.6

A permanent version of the popular Tether Loops™. Once installed it cannot be removed because of a one-way safety action.

CODE	101010
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	70H X 30W X 36D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2016 NS 9811: 2022+AC

690 THB



Tether Ring™


1 / 2.2



Tether Rings™ are the economical answer for creating a tether point on tools with a shaped mid-section or captive hole.

CODE → SMALL	101466
CODE → MEDIUM	101273
CODE → LARGE	101275
MAX LOAD	1KG / 2.2LBS
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

150 THB



Tether Shackle™

10 / 22



Stainless Steel shackles create a super simple tether point for 'waisted' or tapered tools.

CODE → SMALL	101601
CODE → MEDIUM	101602
CODE → LARGE	101603
CODE → XL	101604
MAX LOAD	10KG / 22LBS
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

S = 450 THB
M = 550 THB
L = 690 THB
XL = 990 THB



360 D Ring Loop 3 / 6.6



The 360 D Ring Loop Tool Tether is the fastest way to create a anti-tangle tether point on tools with a captive hole or handle.

CODE	101363
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	200MM X 25MM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

550 THB



360 D Ring Locking Loop 3 / 6.6



The D Ring Locking Loop is great for tethering individual bolts to creating load rated tether points on long-handled tools such as nips.

CODE	101495
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	400MM X 25MM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

950 THB



Tether Choke™


20 / 44



The Tether Choke™ is the heavyweight tether point for big tools and simply cinches around a captive hole or handle.

CODE	101367
MAX LOAD	20KG / 44LBS
DIMENSIONS	340MM X 25MM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

1,200 THB



Tether Choke™

Single Arm


20 / 44



Built for big power tools, the Single Securing Arm locks the Tether Choke™ in position and prevents accidental engagement if dropped.

CODE	101368
MAX LOAD	20KG / 44LBS
DIMENSIONS	340MM X 25MM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

1,320 THB



Tether Choke™

Twin Arm

20 / 44



The Twin Arms of the Tether Choke™ make it the safest tether point for heavy straight-shafted tools.

CODE	101369
MAX LOAD	20KG / 44LBS
DIMENSIONS	340MM X 25MM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

1,500 THB



Spin Tether™ 0.5 / 1.1

The NLG Spin Tether™ provides a solution to tethering rotating tools, such as screwdrivers, allen keys etc, without compromising the use of the tool itself as it allows full 360 rotation.

CODE	101670
MAX LOAD	0.5KG / 1.1LBS
DIMENSIONS	0.3H X 0.27W X 0.5D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC

750 THB





Drill Harness™ 3 / 6.6

The NLG Drill Harness™ is a universal harness for rechargeable drills / tools with its unique, patented design providing ease of use with increased safety.

CODE	101663
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	10H X 7W X 8D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

1,990 THB





Tape Measure Tether 1 / 2.2



The Tape Measure Tether is specifically engineered to stop falling tape measures and boasts of full adjustability.

CODE	101414
MAX LOAD	1KG / 2.2LBS
DIMENSIONS (CM)	10H X 10W X 7D
SAFETY STANDARDS	CE UK CA ANSI/SEA 121-2018 NS 9611: 2022+AC (10)

1,750 THB



Angle Grinder Bracket 3 / 6.6



The NLG Angle Grinder Bracket is an easy solution to add a tether point to your angle grinder.

CODE	101691
MAX LOAD	3KG / 6.6LBS
DIMENSIONS (CM)	6H X 3W X 3D
SAFETY STANDARDS	CE UK CA ANSI/SEA 121-2018 NS 9611: 2022+AC (10)

750 THB



Bottle Holder 1 / 2.2



A really simple way to secure any bottle, spray can, aerosol or canister when working at height.

CODE	101550
MAX LOAD	1KG / 2.2LBS
DIMENSIONS (CM)	
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

1,590 THB



Mini Adhesive D-Ring 1 / 2.2



The Mini Adhesive D Ring is speedy to apply and gives extreme adhesion on even curved surfaces.

CODE	101481
MAX LOAD	1KG / 2.2LBS
DIMENSIONS (CM)	3H X 2W
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC

250 THB

CLEAR SILICONE MINIMISES ANY
CAMERA INTERFERENCE

HIGH STRENGTH WELDED
RIVERTEX® MID SECTION

CLEVER ENGINEERING
ENSURES THAT THE HARNESS
DOES NOT LOOSEN IN A DROP SCENARIO

CUSTOM-MOULDED SILICONE
CAPTURE GIVES SECURE GRIP

Phone Harness™

↳ 0.3 / 0.66



The NLG Phone Harness™ is the simplest but most advanced phone holder for working at height.

Patented features ensure the Holder provides unrivalled protection without compromising any functionality of the device itself.

CODE	101600
MAX LOAD	0.3KG / 0.66LBS
SAFETY STANDARDS	CE UKCA ANSI/ISEA 121-2018 NS 9611: 2022+AC

950 THB



Phone Case 1 / 2.2



The NLG Phone Case provides a safe tether point for a tool lanyard whilst retaining the full smartphone functionality, including camera.

CODE	101383
MAX LOAD	1KG / 2.2LBS
DIMENSIONS (CM)	18H X 10W
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

1,750 THB



Radio Holster 1 / 2.2



The NLG Radio Pouch is the new generation holster for radios of all sizes when working at height.

CODE	101418
MAX LOAD	1KG / 2.2LBS
DIMENSIONS (CM)	12H X 6.5W X 3.5D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

2,250 THB



Tablet Case 3 / 6.6



The NLG Tablet Case makes it safe and easy to use iPads and other similarly sized electronic equipment when working at height.

CODE	101384
MAX LOAD	3KG / 6.6LBS
DIMENSIONS (CM)	30H X 22W
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC 10

3,500 THB



Reinforced Tablet Case 10.2" 1 / 2.2

The Reinforced Tablet Case is a ready-to-tether kit designed to keep your tablet safe and secure in any environment.

CODE	101667
MAX LOAD	1KG / 2.2LBS
DIMENSIONS (CM)	26H X 18W
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC

3,990 THB



Tool Lanyards ^[33]

HIGH STRENGTH, HIGH ABRASION
RESISTANT WEBBING

LIGHTWEIGHT, FULLY ANODISED
ALUMINIUM ROTOBINER™ WITH
ANTI-TANGLE SWIVEL MECHANISM

WIDE GATE AUTOMATIC TWISTLOCK
PREVENTS ACCIDENTAL OPENS



Bungee Tool Lanyard

↳ 5 / 11



The Bungee Tool Lanyard is one of the most popular and versatile lanyards for tool tethering because of its easy-stretch durable webbing and anti-tangle 360° carabiner.

CODE	101372
MAX LOAD	5KG / 11LBS
DIMENSIONS	EXTENDS 80CM TO 120CM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AG 10

2,500 THB



Heavy Duty Bungee Tool Lanyard 20 / 44



The Heavy Duty Bungee Lanyard utilises advanced components to deliver unrivalled performance for heavy tools in the most severe environments.

CODE	101373
MAX LOAD	20KG / 44LBS
DIMENSIONS	EXTENDS TO 190CM
SAFETY STANDARDS	CE UK CA ANSI/SEA 121-2018 NS 9811: 2022+AC (10)

3,500 THB

Heavy-Duty FR Lanyard 20 / 44

Constructed from Kevlar aramid fiber to give superior heat resistance, the Heavy-Duty FR Lanyard is ideal for emergency services and military applications.

CODE	101716
MAX LOAD	20KG / 44LBS
DIMENSIONS	EXTENDS TO 190CM
SAFETY STANDARDS	CE UK CA ANSI/SEA 121-2018 NS 9811: 2022+AC (10)

4,500 THB




Super Bungee Tool Lanyard 20 / 44



The NLG Super Bungee Tool Lanyard comfortably stretches over 3 metres allowing for the safe use of heavy tools on platforms when working at height.

CODE	101419
MAX LOAD	20KG / 44LBS
DIMENSIONS	EXTENDS 160CM TO 340CM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC 10

5,500 THB




Super Heavy Duty Webbing Tool Lanyard 40 / 88



The Super Heavy Duty Tool Lanyard is expertly constructed for the heaviest tools at height, with the extra length making it ideal for working platforms.

CODE	101374
MAX LOAD	40KG / 88LBS
DIMENSIONS	190CM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC 10

4,200 THB



Extended Bungee Tool Lanyard



5 / 11

The extra length of the Extended Bungee Tool Lanyard is ideal for reach tasks or working directly from a height safety tool bag.

CODE	101443
MAX LOAD	5KG / 11LBS
DIMENSIONS	EXTENDS 100CM TO 210CM
SAFETY STANDARDS	CE UK CA 10

2,290 THB

Super Bungee Chainsaw Lanyard, O-Ring



10 / 22

The NLG Super Bungee Chainsaw Lanyard offers a heavy-duty solution to tethering chainsaws for arborists and others working at height - compact with extended reach.

CODE → WITH O-RING	101623
CODE → WITHOUT O-RING	101610
MAX LOAD	5KG / 11LBS
DIMENSIONS	EXTENDS 75CM TO 200CM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+ AC 10

4,500 THB



Bungee Chainsaw Lanyard

10 / 22



The NLG Bungee Chainsaw Lanyard has been developed with input from the most respected names in the Arb world – this lanyard is the ultimate bungee chainsaw lanyard.

CODE	101609
MAX LOAD	10KG / 22LBS
DIMENSIONS	EXTENDS 85CM TO 130CM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

950 THB



Webbing Chainsaw Lanyard

10 / 22



A simple and dependable webbing chainsaw lanyard that does everything a chainsaw lanyard should.

CODE	101608
MAX LOAD	10KG / 22LBS
DIMENSIONS	1.3M X 25MM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

850 THB



ULTRA COMPACT DESIGN STAYS
NEATLY OUT OF THE WAY AND
REDUCES SNAGGING HAZARDS

FAST SWITCH INTERCHANGEABLE ENDS

SLEEK NON-CONDUCTIVE
360° CONNECTOR

METAL-FREE
NON-CONDUCTIVE
CONSTRUCTION

Mini Coil Tool Lanyard

↳1 / 2.2



The Mini Coil Tool Lanyard is the perfect metal-free tool lanyard for small electronics and tools.

Mini Coil Tool Lanyard Connectors, 5 Pack 101547

↳1 / 2.2



CODE

101371

MAX LOAD

1KG / 2.2LBS

DIMENSIONS

EXTENDS FROM 30CM TO 95CM

SAFETY STANDARDS

CE UK (10)

1,200 THB



Coil Tool Lanyard

3 / 6.6

The NLG Coil Lanyard is the benchmark for all tool lanyards – lightweight, with a aircraft cable core and 360°rotating double action carabiners. It is versatile, hardwearing and suitable for use in the most demanding industrial environments.

The Coil Tool Lanyard is easily connected and disconnected making it quick to use with any type of tool weighing 3KG or under, such as hammers, spanners, ratchets, screwdrivers, pliers and power tools. The coil is specially optimised to lie flat to the body and avoid snagging.

CODE	101370
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	EXTENDS FROM 10CM TO 170CM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9511: 2022+AC 

3,500 THB





Short Coil Tool Lanyard, Quick Clip™

3 / 6.6



The ultra compact design of the Short Coil Tool Lanyard makes it ideal for wristband use or confined spaces.

CODE	101364
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	EXTENDS FROM 4CM TO 70CM
SAFETY STANDARDS	CE UK CA 10

1,190 THB



Short Coil Tool Lanyard, Non-Conductive

1 / 2.2



The ultra compact metal-free design of the Non Conductive Short Coil Tool Lanyard makes it ideal for wristband use and electrical work.

CODE	101376
MAX LOAD	1KG / 2.2LBS
DIMENSIONS	EXTENDS FROM 4CM TO 70CM
SAFETY STANDARDS	CE UK CA 10

1,190 THB



Extended Coil Tool Lanyard

3 / 6.6



The Extended Coil Lanyard balances lightweight componentry, compact design and exceptional reach to make a great lanyard for extended use.

CODE	101476
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	EXTENDS FROM 14CM TO 210CM
SAFETY STANDARDS	CE UK (10)

1,750 THB

Lightweight Coil Tool Lanyard

1 / 2.2



Easy reach and compact connectors make the Lightweight Coil Lanyard the ultimate scaffolding tool lanyard for spanners and ratchets.

CODE	101493
MAX LOAD	1KG / 2.2LBS
DIMENSIONS	EXTENDS 48CM TO 180CM
SAFETY STANDARDS	CE UK (10)

1,250 THB



GO™ Bungee Tool Lanyard 3 / 6.6



The NLG GO™ Bungee Tool Lanyard is a great lightweight entry-level tool lanyard for tradespeople.

CODE	101518
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	EXTENDS 70CM TO 120CM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC 10

1,750 THB



GO™ Bungee Tool Lanyard, Twin Carabiner 3 / 6.6



The NLG GO™ Twin Carabiner Bungee Tool Lanyard is a cost-effective tool lanyard with two double action carabiners for versatility.

CODE	101519
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	EXTENDS 70CM TO 120CM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC 10

2,250 THB



G0™ Non-Conductive Bungee Lanyard

3 / 6.6

An alternative colour to the original green Tether Tape™ which allows for the simple visual management of replacement periods.

CODE	101709
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	EXTENDS TO 120CM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

750 THB



G0™ Non-Conductive Coil Lanyard

3 / 6.6

An alternative colour to the original green Tether Tape™ which allows for the simple visual management of replacement periods.

CODE	101710
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	EXTENDS TO 210CM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

1,190 THB



G0™ Wrist Lanyard

3 / 6.6

Attach the Small D Ring Tool Tether with Tether Tape™ to create an instant attachment point on any small hand tool.

CODE	101599
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC

550 THB



GO™ Webbing Tool Lanyard, 0.25M

5 / 11

The NLG Webbing Lanyards are both economical and compact, using a durable webbing for improved wear characteristics in the harshest of conditions.

CODE	101552
MAX LOAD	5KG / 11LBS
DIMENSIONS	25CM
SAFETY STANDARDS	CE UK



850 THB



GO™ Webbing Tool Lanyard, 1M

5 / 11

The NLG Webbing Lanyards are both economical and compact using a durable webbing for improved wear characteristics in the harshest of conditions.

CODE	101436
MAX LOAD	5KG / 11LBS
DIMENSIONS	1M
SAFETY STANDARDS	CE UK



790 THB



GO™ Webbing Tool Lanyard, 1.5M

5 / 11

The NLG Webbing Lanyards are both economical and compact using a durable webbing for improved wear characteristics in the harshest of conditions.

CODE	101435
MAX LOAD	5KG / 11LBS
DIMENSIONS	
SAFETY STANDARDS	CE UK



990 THB



Mini Retractable Tool Lanyard

0.5 / 1.1



As the ultimate small retractable tool lanyard, the Mini Retractable Lanyard boasts of a sturdy build quality and strong coated steel cable.

CODE	101480
MAX LOAD	0.5KG / 1.1LBS
DIMENSIONS	EXTENDS FROM 17CM TO 138CM
SAFETY STANDARDS	CE UK

1,990 THB

Mini Ratchet Retractable Tool Lanyard

0.5 / 1.1



As the ultimate small retractable tool lanyard, the Mini Ratchet Retractable Lanyard boasts of a sturdy build quality and a strong Kevlar cable which automatically locks at the desired length.

CODE	101564
MAX LOAD	0.5KG / 1.1LBS
DIMENSIONS	EXTENDS FROM 13CM TO 120CM
SAFETY STANDARDS	CE UK

2,990 THB



Locking Retractable Tool Lanyard 1 / 2.2



The Locking Retractable Lanyard is an ultra-low profile self-retracting tool lanyard. Designed to fit onto any anchor point with its double action carabiner, it provides almost 360° coverage and free movement whatever the position.

CODE	101389
MAX LOAD	1KG / 2.2LBS
DIMENSIONS	EXTENDS FROM 30CM TO 140CM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC

4,750 THB



Heavy Duty Retractable Lanyard 3 / 6.6



The rugged construction of the Heavy Duty Retractable Tool Lanyard makes it fit for the toughest conditions, finished with a double action carabiner for extra security.

CODE	101450
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	EXTENDS FROM 20CM TO 135CM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC

3,500 THB



Retractable Loop Attachment

5 / 11



The Retractable Loop Attachment is used to quickly anchor the NLG Heavy Duty Retractable Tool Lanyard directly to a rail, belt or harness.

CODE	101455
MAX LOAD	5KG / 11LBS
DIMENSIONS	27H X 5W
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC

1,250 THB



NLG Retractable Quick Clip™ Attachment


5 / 11



The Retractable Quick Clip™ Attachment is used to quickly anchor the NLG Heavy Duty Retractable Tool Lanyard to D Ring style anchor point.

CODE	101456
MAX LOAD	5KG / 11LBS
DIMENSIONS	14H X 5W
SAFETY STANDARDS	CE UK CA

750 THB



Helmet Lanyard

The hi-vis neoprene design of the Helmet Lanyard makes it as visible as it is comfortable. It's the best way to keep your hard hat where it's meant to be.

CODE	101708
MAX LOAD	N/A
DIMENSIONS	40H X 2W
SAFETY STANDARDS	CE UK CA

190 THB



Coil Helmet Lanyard 1/2.2

The Coil Helmet Lanyard is easy to clean and maintain and provides a compact high-performance alternative to the webbing helmet lanyard.

CODE	101399
MAX LOAD	1KG / 2.2LBS
DIMENSIONS	EXTENDS FROM 35CM TO 80CM
SAFETY STANDARDS	CE UK CA

750 THB





Anchor Points^[10]



Adjustable Wristband

3 / 6,6



The Adjustable Wristband pairs with a short coiled tool lanyard to make a popular and functional combination for small hand tools.

CODE	101365
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	38H X 5W
SAFETY STANDARDS	CE UK CA ANSUI/SEA 121-2018 NS 9811: 2022+AC (10)

990 THB



GO™ Wrist Lanyard

3 / 6.6

The NLG Go Wrist Lanyard has been designed to provide an entry level wristband that you can trust.

CODE	101599
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	70H X 30W X 36D
SAFETY STANDARDS	CE UK CA ANSUI/SEA 121-2018 NS 9811: 2022+AC

550 THB



Heavy Duty Anchor Choke™

40 / 88



The Heavy Duty Anchor Choke™ wraps quickly around beams, scaffolding and railings to give a secure anchor point for tool lanyards and buckets.

CODE	101494
MAX LOAD	40KG / 88LBS
DIMENSIONS	60H X 2.5W
SAFETY STANDARDS	CE UK CA ANSUI/SEA 121-2018 NS 9811: 2022+AC (10)

3,200 THB



Belt Loop Anchor

3 / 6.6



The Belt Loop Anchor makes it effortless to add additional attachment points to your existing work belt.

CODE	101366
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	13H X 2.5W
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

550 THB



BiLock™ Velcro Anchor

3 / 6.6



The BiLock™ Velcro Anchor utilises clever dual Velcro layering allowing it to be attached to virtually anything and features a docking pad for compatible holsters.

CODE	101422
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	13H X 2.5W
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

1,190 THB



TriLock™ Velcro Anchor

10 / 22



The TriLock™ Velcro Anchor utilises clever triple Velcro layering to deliver exceptional tensile strength and make a fast fitting anchor.

CODE	101454
MAX LOAD	10KG / 22LBS
DIMENSIONS	13H X 2.5W
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

1,590 THB



Superlight Safety
Tool Belt
30 / 66




Comfort Safety Belt
30 / 66

CODE	101420
MAX LOAD	30KG / 66LBS
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC ID

2,990 THB

CODE	101705
MAX LOAD	30KG / 66LBS
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC ID

2,990 THB



Comfort Braces
30 / 66

CODE	101704
MAX LOAD	30KG / 66LBS
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

4,750 THB



Comfort Belt and
Braces Kit
30 / 66

CODE	101724
MAX LOAD	30KG / 66LBS
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

7,500 THB





Accessories ^[8]



Aluminium Screwgate Carabiner

5 / 11

Lightweight Aluminium screwgate carabiners provide a super simple quick addition to a tethering system - to create a holster or a staging point.

CODE	101525
MAX LOAD	5KG / 11LBS
DIMENSIONS	6H X 3W

850 THB



Heavy Duty Carabiner, Internal Wiregate

50 / 110

This carabiner with internal wiregate has been specifically designed to create a secure addition to a tool tethering system.

CODE	101549
MAX LOAD	50KG / 110LBS
DIMENSIONS	8H X 5W

1,390 THB



Shoulder Strap

CODE	101703
MAX LOAD	N/A
DIMENSIONS	70H X 30W X 36D

1,590 THB



Glasses Lanyard

CODE	101660
MAX LOAD	100KG / 70LBS
DIMENSIONS	70H X 30W X 36D

650 THB



Webbing Belt

CODE	101665
MAX LOAD	100KG / 70LBS
DIMENSIONS	70H X 30W X 36D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC

1,190 THB



Weak Link Connector

1 / 2.2

The NLG Weak Link Connector can be introduced to any tool tethering system to create a safety break-away, making it ideal for use near moving machinery, or in a situation where the user needs to be able to quickly disconnect from their tool lanyard in an emergency.

CODE	101613
MAX LOAD	1KG / 22LBS
DIMENSIONS	160CM
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC

890 THB

FITS SECURELY ONTO 45-50MM
WEBBING AND PADDED BELTS

OPEN, NON-GATED DESIGN

ULTRA-DURABLE CONSTRUCTION
ENGINEERED FOR
HARSH ENVIRONMENTS



The NLG AirPark™ is a non-gated tool keeper, primarily designed for drills and chainsaws, but can be used for anything that fits onto it.

The non-gated design allows for quick and easy access of tools hung from it. With the return on the end of the product stopping tools from slipping out.

GREY	101717
GREEN	101720
MAX LOAD	10KG / 22LBS
DIMENSIONS	70H X 30W X 36D

1,190 THB





Storage [22]



NLG Tool Holster

5 / 11



With two approved anchor points and a universal attachment for all belts and harnesses, the NLG Tool Holster has been specifically developed for use with tools used at height.

CODE	101470
MAX LOAD	5 KG / 11LBS
DIMENSIONS	22H X 10W X 5D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

3,500 THB



Retractable Tool Holster

5 / 11



This holster has a built-in retractable ratchet lanyard [101564], making it the ultimate tool holster for working at height.

CODE	101591
MAX LOAD	5 KG / 11LBS
DIMENSIONS	22H X 10W X 5D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

5,790 THB



Hammer Holster

5 / 11



The NLG Hammer Holster overcomes all the associated problems with traditional holsters and tethered tools, so now you can stop lanyards snagging when you are holstering your hammer.

CODE	101496
MAX LOAD	5 KG / 11LBS
DIMENSIONS	16H X 10W
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

2,990 THB



Retractable Spanner Holster

5 / 11



This holster has a built-in retractable ratchet lanyard, making it the ultimate spanner holster for working at height.

CODE	101662
MAX LOAD	5KG / 11LBS
DIMENSIONS	21H X 11W X 6D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

2,990 THB



Bottle Holder

1 / 2.2



A really simple way to secure any bottle, spray can, aerosol or canister when working at height.

CODE	101550
MAX LOAD	1KG / 2.2LBS
DIMENSIONS	18H X 7W X 7D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

1,590 THB



Linesman Bag 30 / 66

The Linesman Bag is a versatile tool tethering bag with a complete closure system built in and 8 anchor points for tool lanyards.

CODE	101421
MAX LOAD	30KG / 66LBS
DIMENSIONS	35H X 30W X 10D
SAFETY STANDARDS	CE UK CA ANS/ISEA 121-2018 NS 9611: 2022+AC (10)

10,900 THB





Flex Linesman Bag

30 / 66

The Linesman Bag Flex carries many of the features of the trusted Linesman Bag, but is built from a more supple vinyl allowing it to compress easily.

CODE	101723
MAX LOAD	30KG / 66LBS
DIMENSIONS	35H X 30W X 10D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

8,200 THB



Tall Tool Bag

30 / 66

The NLG Tall Tool Bag has been designed to keep longer tools safely stored when working at height and provides 6 conveniently integrated anchor points for tool lanyards.

CODE	101492
MAX LOAD	20KG / 44LBS
DIMENSIONS	40H X 20W X 10D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

9,500 THB

TRILOCK™ VELCRO
MOUNTING STRAPS

7 INTEGRATED ANCHOR POINTS

3 ORGANISATION POCKETS

STABILISATION LOOPS ATTACH
QUICKLY TO A LOWER RAIL TO
PROVIDE EXTRA STABILITY

MEWP Bag

↳30 / 66



The MEWP Tool Bag is a large tool bag designed to quickly attach an approved rail on an elevated working platform or scaffold.

CODE	101423
MAX LOAD	30KG / 66LBS
DIMENSIONS	37H X 45W X 15D
SAFETY STANDARDS	CE UKCA ANSI/ISEA 121-2018 NS 9611: 2022+AC 

12,000 THB



Aero Pouch™

5 / 11

Featuring an innovative valve closure system, the NLG Aero Pouch™ is the safest way to keep small parts and fixings at your side when working at height.

CODE	101400
MAX LOAD	5KG / 11LBS
DIMENSIONS	25H X 20W X 10D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

3,990 THB





Aero Pouch™, Clear

5 / 11



Featuring an innovative valve closure system, the NLG Aero Pouch™ Clear is the best way to keep small parts and fixings easily visible and safe at height.

CODE	101573
MAX LOAD	5KG / 11LBS
DIMENSIONS	25H X 20W X 10D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

3,990 THB

Aero Pouch™, XL

5 / 11

Featuring an innovative valve closure system, the NLG Aero Pouch™, XL is the safest way to keep small parts and fixings at your side when working at height and brings extra capacity over the standard NLG Aero Pouch™.

CODE	101621
MAX LOAD	5KG / 11LBS
DIMENSIONS	32H X 22W X 12D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

5,990 THB

LOAD RATED SLINGS (50KG)

WATER-RESISTANT RIPSTOP
ROLL TOP ENCLOSURE

LOAD RATED DAISY CHAIN
LOOPS (5KG EACH)

REFLECTIVE ACENTS

INNERVIS™ CORE
CONSTRUCTION

ADVANCED
SAFETY
ENGINEERING®
NEVER LET GO®

ROPE / PRO™

REMOVABLE SUB-
FRAME SYSTEM

Rope/Pro™ Bucket

↳50 / 110



The NLG Rope/Pro™ Bucket is an all-in one solution for storing ropes and lifting heavy equipment in a compact bucket format.

The bucket features the unique Innervis™ material, which provides excellent interior visibility and full waterproof functionality keeping rope dry and water out.

The bucket features a heavy duty lifting arrangement with integrated slings which can safely and securely transport loads in any conditions.

CODE	101680
MAX LOAD	50KG / 110LBS
DIMENSIONS	40H X 30W X 30D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022-AC 10

7,500 THB



Rope/Pro Pouch™ 5 / 11

The NLG Rope/Pro™ Pouch is a great all round pouch boasting of lightweight construction and handy anchor point for rope and tools.

CODE	101718
MAX LOAD	5KG / 11LBS
DIMENSIONS	20H X 18W X 30D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

3,900 THB



Rope/Pro™ Backpack 30 / 66



The NLG Rope/Pro™ Backpack is an all-in-one storage solution for storing, transporting and working with rope and associated hardware.

CODE	101679
MAX LOAD	30KG / 66LBS
DIMENSIONS	55H X 25W X 30D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

6,900 THB



Bucket Organiser

The NLG Bucket Organiser is an accessory specifically designed for the NLG Rope/Pro Bucket and the NLG Ascent Bucket.

The organiser comes with 3 Large and 2 small mesh pockets with elasticated loops to store as many tools as required.

The divider can be used to split the main part of the bucket into as many sections as necessary.

CODE	101685
DIMENSIONS	40H X 30W X 30D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC 10

3,200 THB





NLG Ascent Mini™ 3 / 6.6

The NLG Ascent Mini™ feature the unique Pop-Stop™ which provides easy open access without reducing capacity when closed.

CODE	101690
MAX LOAD	3KG / 6.6LBS
DIMENSIONS	20H X 15W X 15D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

3,500 THB

Ascent Pouch™ 5 / 11



The NLG Ascent Pouch™ redefines the rope access tool bag with a focus on safety and ergonomics.

CODE	101520
MAX LOAD	5KG / 11LBS
DIMENSIONS	20H X 18W X 30D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

4,990 THB



Ascent Bucket™ 100 / 220



The NLG Ascent Bucket™ is the world's most advanced lifting and storage bucket for working at height.

CODE	101360
MAX LOAD	100KG / 220LBS
DIMENSIONS	40H X 33W X 33D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

14,500 THB



Ascent Carry™ 100 / 220

The NLG Ascent Carry™ combines a bucket and a backpack to create excellent transport for ropes and tools alike.

CODE	101730
MAX LOAD	100KG / 70LBS
DIMENSIONS	50H X 33W X 33D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

17,900 THB



UNIQUE, REMOVABLE
SUB-FRAME SYSTEM

COMPRESSION STRAP

OFFSET LIFTING
HANDLE

MEGATEX™ CORE
CONSTRUCTION

DETACHABLE WAISTBELT

RAISED BASE AND
DRAINAGE VENTS

Ascent Haul™

↳100 / 220



The NLG Ascent Haul™ is a heavy duty ascent rucksack design specifically to be able to bear and lift loads of up to 100kg.

The Ascent Haul™ is made of Megatex™, a super heavy-duty grade material designed to withstand a multitude of extreme environments and forces. Megatex™ is up to 7 times more abrasion resistant than premium military grade fabric.

The Ascent Haul™ comes with a set of fully concealable straps and removable waist belt to adapt for any situation.

CODE	101666
MAX LOAD	100KG / 220LBS
DIMENSIONS	70H X 36W X 36D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9811: 2022+AC (10)

23,900 THB





Containment^[3]



Spacenet™ 20 / 44

An innovative catch net designed as a back up system for any falling materials or tools. The NLG Spacenet™ is one of the most compact, lightweight yet durable products in the market.

CODE	101672
MAX LOAD	20KG / 44LBS
DIMENSIONS	100H X 100W X 200D
SAFETY STANDARDS	CE UK CA ANSI/ISEA 121-2018 NS 9611: 2022+AC (10)

55,000 THB





Spacenet™ Impact Zone Mat

The Impact Zone Mat has been designed in conjunction with the Spacenet™. The easily inserted extra part provides a reusable crash landing surface, to dampen larger dynamic collisions.

CODE	101673
DIMENSIONS	180W X 65D

3,500 THB



Drop Net

The NLG Drop Net is an easy way to catch small, falling objects on a raised grating or gridded surface. With a tough, superfine mesh to stop even the smallest of parts and debris from falling through.

CODE	101584
DIMENSIONS	2M X 1M




















15,000 THB



Index

Kits

↳ Everything you need in one kit.

					
PHONE HARNESS™ KIT	MOBILE PHONE KIT	RADIO KIT	SCREWDRIVER KIT	SPANNER KIT	SMALL HAND TOOL KIT
101700 ↳ P.26	101560 ↳ P.27	101661 ↳ P.27	101556 ↳ P.27	101555 ↳ P.28	101558 ↳ P.28
					
HAMMER KIT	TAPE MEASURE KIT	NIPS KIT	DRILL HARNESS™ KIT	HEAVY DUTY POWER TOOL KIT	
101554 ↳ P.29	101553 ↳ P.28	101734 ↳ P.29	101734 ↳ P.26	101557 ↳ P.29	
					
5 TOOL MODULAR TETHERING KIT	10 TOOL MODULAR TETHERING KIT	25 TOOL MODULAR TETHERING KIT	50 TOOL MODULAR TETHERING KIT	100 TOOL MODULAR TETHERING KIT	
101538 ↳ P.30	101539 ↳ P.30	101540 ↳ P.30	101614 ↳ P.31	101615 ↳ P.31	
					
WIND TECHNICIANS TETHERING KIT	ROPE ACCESS TETHERING KIT	LINESMAN TETHERING KIT	TELECOMS TETHERING KIT	CONSTRUCTION TETHERING KIT	MEWP TETHERING KIT
101616 ↳ P.32	101619 ↳ P.33	101618 ↳ P.35	101617 ↳ P.34	101542 ↳ P.36	101541 ↳ P.37

Tether Points

↳ Create an attachment point on the tool.



TETHER TAPE™

101355
MAX LOAD: 5KG
↳ P.40



TETHER TAPE™
ORANGE

101479
MAX LOAD: 5KG
↳ P.40



LARGE D RING

101362
MAX LOAD: 3KG
↳ P.41



SMALL D RING

101361
MAX LOAD: 1KG
↳ P.41




NON-CONDUCTIVE
D RING

101375
MAX LOAD: 1KG
↳ P.41



MINI ADHESIVE
D RING

101481
MAX LOAD: 1KG
↳ P.49



TETHER RING™
SMALL

101466
MAX LOAD: 1KG
↳ P.43



TETHER RING™
MEDIUM

101273
MAX LOAD: 1KG
↳ P.43



TETHER RING™
LARGE

101275
MAX LOAD: 1KG
↳ P.43



TETHER LOOP™
120

101380
MAX LOAD: 3KG
↳ P.42




TETHER LOOP™
150

101381
MAX LOAD: 3KG
↳ P.42




TETHER LOOP™
170

101413
MAX LOAD: 3KG
↳ P.42



TETHER SHACKLE™
SMALL

101601
MAX LOAD: 10KG
↳ P.43




TETHER SHACKLE™
MEDIUM

101602
MAX LOAD: 10KG
↳ P.43



TETHER SHACKLE™
LARGE

101603
MAX LOAD: 10KG
↳ P.43



TETHER SHACKLE™
XL

101604
MAX LOAD: 10KG
↳ P.43



360 D RING
LOOP

101363
MAX LOAD: 3KG
↳ P.44



360 D RING
LOCKING LOOP

101495
MAX LOAD: 3KG
↳ P.44



TETHER CHOKE™

101367
MAX LOAD: 20KG
↳ P.45



TETHER CHOKE™
SINGLE ARM

101368
MAX LOAD: 20KG
↳ P.45



TETHER CHOKE™
TWIN ARM

101369
MAX LOAD: 20KG
↳ P.45

↳Tether Points



SPIN TETHER™

101670
MAX LOAD: 0.5KG
↳P.46



DRILL HARNESS™

101663
MAX LOAD: 3KG
↳P.47



TAPE MEASURE
TETHER

101414
MAX LOAD: 1KG
↳P.48



ANGLE GRINDER
BRACKET

101691
MAX LOAD: 3KG
↳P.48



BOTTLE HOLDER

101550
MAX LOAD: 1KG
↳P.49



PHONE HARNESS™

101600
MAX LOAD: 0.3KG
↳P.51



PHONE CASE

101383
MAX LOAD: 1KG
↳P.52



RADIO POUCH

101418
MAX LOAD: 1KG
↳P.52



TABLET CASE

101384
MAX LOAD: 3KG
↳P.53



REINFORCED
TABLET CASE

101667
MAX LOAD: 1KG
↳P.53

Tool Lanyards

↳Choose the best tool lanyard for your task.



BUNGEE TOOL
LANYARD

101372
MAX LOAD: 5KG
↳P.57



EXTENDED BUNGEE
TOOL LANYARD

101434
MAX LOAD: 5KG
↳P.60



HEAVY DUTY
BUNGEE LANYARD

101373
MAX LOAD: 20KG
↳P.58




HEAVY DUTY FR
BUNGEE LANYARD

101716
MAX LOAD: 20KG
↳P.58



SUPER BUNGEE
TOOL LANYARD

101419
MAX LOAD: 20KG
↳P.59



SUPER HD WEBBING
TOOL LANYARD

101355
MAX LOAD: 40KG
↳P.59

↳ Tool Lanyards



COIL TOOL LANYARD

101370
MAX LOAD: 3KG
↳ P.64



EXTENDED COIL TOOL LANYARD

101476
MAX LOAD: 3KG
↳ P.66



SHORT COIL, QUICK CLIP

101364
MAX LOAD: 3KG
↳ P.65



SHORT COIL, NON-CONDUCTIVE

101376
MAX LOAD: 1KG
↳ P.65



MINI COIL TOOL LANYARD

101371
MAX LOAD: 1KG
↳ P.63



MINI COIL CONNECTOR PACK

101547
MAX LOAD: 1KG
↳ P.63




LIGHTWEIGHT COIL TOOL LANYARD

101493
MAX LOAD: 1KG
↳ P.66



WEBBING CHAIN-SAW LANYARD

101608
MAX LOAD: 10KG
↳ P.61




BUNGEE CHAINSAW LANYARD

101609
MAX LOAD: 10KG
↳ P.61



SUPER BUNGEE CHAINSAW LANYARD

101610
MAX LOAD: 10KG
↳ P.60



S BUNGEE CHAINSAW LANYARD, O-RING

101623
MAX LOAD: 10KG
↳ P.60



MINI RETRACTABLE TOOL LANYARD

101480
MAX LOAD: 0.5KG
↳ P.70




MINI RATCHET RETRACTABLE

101564
MAX LOAD: 0.5KG
↳ P.70



LOCKING RETRACTABLE LANYARD

101389
MAX LOAD: 1KG
↳ P.71



HEAVY DUTY RETRACTABLE

101450
MAX LOAD: 3KG
↳ P.71



RETRACTABLE LOOP ATTACHMENT

101455
MAX LOAD: 5KG
↳ P.72



RETRACTABLE CLIP ATTACHMENT

101456
MAX LOAD: 5KG
↳ P.72



HELMET LANYARD

101708
↳ P.73



COIL HELMET LANYARD

101399
MAX LOAD: 1KG
↳ P.73

Tool Lanyards

↳GO™ Range



GO™ NON-CONDUCTIVE BUNGEE

101709
MAX LOAD: 3KG
↳P.68



GO™ NON-CONDUCTIVE COIL

101355
MAX LOAD: 3KG
↳P.68



GO™ WRIST LANYARD

101599
MAX LOAD: 3KG
↳P.68



GO™ WEBBING LANYARD, 0.25M

101552
MAX LOAD: 5KG
↳P.69



GO™ WEBBING LANYARD, 1M

101436
MAX LOAD: 5KG
↳P.69



GO™ WEBBING LANYARD, 1.5M

101435
MAX LOAD: 5KG
↳P.69



GO™ BUNGEE LANYARD

101518
MAX LOAD: 3KG
↳P.67



GO™ BUNGEE, TWIN CARABINER

101519
MAX LOAD: 3KG
↳P.67

Anchor Points

↳Select between wristband, belt or fixed point.



ADJUSTABLE WRISTBAND

101365
MAX LOAD: 3KG
↳P.76



GO™ WRIST LANYARD

101599
MAX LOAD: 3KG
↳P.76



HEAVY DUTY ANCHOR CHOKE™

101494
MAX LOAD: 40KG
↳P.76



BELT LOOP ANCHOR

101366
MAX LOAD: 3KG
↳P.77



BILOCK™ VELCRO ANCHOR

101422
MAX LOAD: 3KG
↳P.77



TRILOCK™ VELCRO ANCHOR

101454
MAX LOAD: 10KG
↳P.77

↳Anchor Points




**SUPERLIGHT
SAFETY BELT**

101420
MAX LOAD: 30KG
↳P.78




**COMFORT
SAFETY BELT**

101705
MAX LOAD: 30KG
↳P.78



**COMFORT
BRACES**

101704
MAX LOAD: 30KG
↳P.79



**COMFORT BELT AND
BRACES KIT**


101724
MAX LOAD: 30KG
↳P.79

Accessories




**ALUMINIUM
CARBINER**

101525
MAX LOAD: 5KG
↳P.82




**HD CARABINER,
INTERNAL GATE**

101549
MAX LOAD: 50KG
↳P.82



SHOULDER STRAP

101703
↳P.82



GLASSES LANYARD

101660
↳P.83



WEBBING BELT

101665
MAX LOAD: 3KG
↳P.83



**WEAK LINK
CONNECTOR**

101613
MAX LOAD: 1KG
↳P.83



**AIRPARK™
GREY**

101717
MAX LOAD: 10KG
↳P.85



**AIRPARK™
GREEN**

101720
MAX LOAD: 10KG
↳P.85

Storage



TOOL HOLSTER	RETRACTABLE TOOL HOLSTER	HAMMER HOLSTER	RETRACTABLE SPANNER HOLSTER	HD STAINLESS HAMMER HOLSTER	BOTTLE HOLDER
101470 MAX LOAD: 5KG ↳P.88	101591 MAX LOAD: 5KG ↳P.88	101496 MAX LOAD: 5KG ↳P.88	101662 MAX LOAD: 5KG ↳P.89	101606 MAX LOAD: 10KG ↳P.89	101550 MAX LOAD: 1KG ↳P.89



TALL TOOL BAG	LINESMAN BAG	FLEX LINESMAN BAG	MEWP BAG	AERO POUCH™	AERO POUCH™ CLEAR
101492 MAX LOAD: 20KG ↳P.91	101421 MAX LOAD: 30KG ↳P.90	101723 MAX LOAD: 30KG ↳P.91	101423 MAX LOAD: 30KG ↳P.93	101400 MAX LOAD: 5KG ↳P.94	101573 MAX LOAD: 5KG ↳P.95



AERO POUCH™, XL	ASCENT MINI™	ASCENT POUCH™	ASCENT BUCKET™	ASCENT CARRY™	ASCENT HAUL™
101621 MAX LOAD: 5KG ↳P.95	101690 MAX LOAD: 3KG ↳P.100	101520 MAX LOAD: 5KG ↳P.100	101360 MAX LOAD: 100KG ↳P.101	101730 MAX LOAD: 100KG ↳P.101	101666 MAX LOAD: 100KG ↳P.103



ROPE/PRO™ POUCH	ROPE/PRO™ BUCKET	ROPE/PRO™ BACKPACK	BUCKET ORGANISER
101718 MAX LOAD: 5KG ↳P.98	101680 MAX LOAD: 50KG ↳P.97	101679 MAX LOAD: 30KG ↳P.98	101685 ↳P.99

Containment



SPACENET™

101672
MAX LOAD: 20KG
↳P.106



SPACENET™
IMPACT ZONE MAT

101673
↳P.107



DROP NET

101584
↳P.107

Awareness



TOOL TETHERING
LEARNING HUB

101467
↳P.20



123 TETHERING
BOARD SYSTEM

101468
↳P.21

