



DAICON
TRADING CO., LTD.

xsto[®]

STAIR CLIMBING SHOPPING CART

ZW030





Battery Powered Upstairs and Downstairs
Lithium Battery Powered For Long Life

470 Steps



Easy to Operate
With Just One Press

Capacity

30KG



Self-locking Function for Going Upstairs and Downstairs
Automatic Hovering Without Dropping



Lightweight and Compact,
Essential for Home Use

Item
Weight

12.5KG

Folding in
Three Steps:



TECHNICAL PARAMETER



Item Weight

12.5KG



Maximum Capacity

30KG



Tire Size

6 Inch



Noise

< 70dB



Battery Capacity

18~30 Floors
(325~470 Steps)


Climbing Speed

Slow: 20 Steps/Min
Fast: 38 Steps/Min


Protection Grade


IP33



Step Requirement

Height < 18.5CM

Size Unit:MM



ACCESSORIES



Charger

Input: AC110V-240V
Output: DC29.4V 2A


Cargo Securing Ropes

Double Hook With Elastic
1.1m Long, Stretchable


Spare Switch

Function buttons
Operation Switch



Ease Your Way To Anywhere



Shopping Mall



Community



Office



Residential
Building



Camping



DACON
TRADING CO., LTD.



ติดต่อสอบถาม / ขอใบเสนอราคา
Ins : 089-9606679, 089-2446679 / 038-017323



E-mail : Sales@dacon-trading.com
Website : www.dacon-trading.com
88/9 Moo3 Phala Banchang Rayong 21130

POWERED STAIR CLIMBER

ZW4250



DESCRIPTION

The powered stair climber with solid wheels can be used for transporting cargo up to 250kg to climb stairs. The machine has obvious advantages because it combines practicality and economy.

Carbon steel frame, simple touch button control, dustproof-design switch, height adjustable loading board for different cargo's center of gravity and most competitive price make it popular in building site.

It is also widely used for up/down stair transporting for furnitures, white goods, photocopiers, industrial devices, building supplies, etc.



TECHNICAL DATA

Model: ZW4250

Net Weight: 35 kg

Weight of Battery: 3kg

Capacity: 250kg

Battery Capacity: 38-84 Floors

Climbing Speed: 35 Steps/min (Fastest)

Step Height: $\leq 210\text{mm}$

Overall Size: 1720mm*530mm*620mm

Main Material: Carbon Steel

Battery Type: Lithium Battery

Charging Voltage: 100V-240V

Charging Time: 3 hours

Noise: $< 85\text{dB}$

Brake: No

Protection Level: IP33

Fold Size: 1190mm*530mm*320mm

PRODUCT DETAILS



Run button

Point touch operation button, easy to operate and ensure the safety



Handle

Telescopic design, height adjustable, 2 angles optional



Upstairs/Downstairs Button

Choose the up/down mode

Speed control button

Choose the speed



Battery

Large capacity but light weight lithium battery, patented design interface for quick installation and energization



Supporting Wheels

High-abrasive and anti-slip support wheels with polyurethane material

High Power Brushless Motor

Stronger power, maximum load capacity: 250kg



Back panel

Better support the cargo.

Loading Board

For adjusting the gravity center of different cargos, we leave 2 positions for the loading board installation.

APPLICATIONS





Motorized Platform Cart

ET300P2 · ET150P2



All-round Transportation and Distribution Assistant

300kg-Climbing Expert

Built-in gyroscope, vehicle self-sensing matching output power. Strong climbing power, smooth and safe downhill, Efficient handling frees up your hands.



Intelligent Safety

Featuring automotive grade sensors, 16 contact design, precise recognition, sensitive control, The vehicle can only be started in body-balance condition.



FOC Control Technology

All-round smooth and silky steering, quiet and energy-saving. It handles all kinds of roadblocks steadily, with plenty of power and no skidding.



Original Design -Patented Technology

Modular design for quick disassembly and assembly. Easy to carry and store.



Compatible With Different Flatbed Hand Trucks

Switch between cargo and cycling at your convenience.



Cart Adaptive Mounting Hole Dimensions



xsto[®] Motorized Platform Cart

Product Parameters



ET300P2



ET150P2

◦ Maximum Capacity	300kg (Cargo 200KG + Operator 100KG)	150kg (Cargo 50KG + Operator 100KG)
◦ Overall Weight	34kg	31kg
◦ Cart Weight	13.6kg	11.6kg
◦ Battery Weight	4kg	3kg
◦ Battery Capacity	25km	15km
◦ Speed On Flat Surface	0~10km/h	0~10km/h
◦ Speed On Slope	0~5km/h	0~5km/h
◦ Maximum Slope	7°	5°
◦ Noise	<65dB	<65dB
◦ Protection Level	IP54	IP54

Overall Size



Cart Size



Battery Size



Product Accessories

Cycling Fixture

- Fixture Weight
1.3kg
- Fixture Material
Aluminum Alloy
- Fixture Size
480x997mm



Ease Your Way to Anywhere



POWERED STAIR CLIMBER

ZW4170D

0 0 0 0



0 0 0 0 0 0 0 0

DESCRIPTION

This powered stair climber with pneumatic wheels can be used for transporting cargo up to 170kg up and down stairs. It is great for furniture, whitegoods, photocopiers, filing cabinets, industrial devices, building supplies, etc.

Carbon steel frame, simple touch button control and rechargeable battery, and lower price make it popular in building site.



TECHNICAL DATA

Model: ZW4170D

Net Weight: 24.5 kg

Weight of Battery: 3kg

Capacity: 170kg

Battery Capacity: 68-153 Floors

Climbing Speed: 24 Steps/min (Slow)

34 Steps/min (Fast)

Overall Size: 1555mm*530mm*620mm

Main Material: Carbon Steel

Battery Type: Lithium Battery

Charging Voltage: 100V-240V

Charging Time: 3 hours

Noise: < 70dB

Brake: No

Protection Level: IP54

Fold Size: 1235mm*530mm*320mm

PRODUCT DETAILS



Handle

Telescopic design,
height adjustable



Run button

Point touch operation button,
easy to operate
and ensure the safety



Upstairs/Downstairs Button

Choose the up/down mode



Fast/Slow Button

Choose the speed



Battery

Fast plug design, independent
switch, display capacity
and voltage



Supporting Wheels

High-abrasive and anti-slip support
wheels with polyurethane material

Cover

Seal the entire executive body,
waterproof, dustproof and
electromagnetic interference



Loading Board

Foldable loading board,
space-saving

APPLICATIONS



Crawler Electric Stair Climber

CT150PB

- Dual-mode Operation
- Crawler Climbing
- Simple and Easy



Crawler Electric Stair Climber CT150PB

DUAL-MODE OPERATION

Wire control operation eliminates the need to bend over, and fingertip shift between stop and go.



ALL-TERRAIN STRUCTURE

Climbing Mode

Non-slip and non-marking tracks, safe going up and down the stairs.



Flat Surface Mode

Extra wear-resistant rubber wheels for easy moving on flat surface.



OMNI-ADJUSTMENT

Folding portable body, space-saving storage.



Front and back installation



Folding in Dual Mode



Foldable Loading Plate

Crawler Electric Stair Climber CT150PB

SPECIFICATION

	Product Weight	31.2KG		Noise Level	<70dB
	Loading Capacity	150KG		Protection Grade	IP54
	Endurance	1200 Steps (About 68 floors)		Step Requirements	Height<21cm Slope<35°
	Motor	48V 400W		Climbing speed	Slow: 25 steps/min Fast: 40 steps/min

	Product Dimension	 Unfolded Size: 525mm (width), 646mm (depth), 1595mm (height) Folded Size: 525mm (width), 305mm (depth), 1197mm (height)			
--	-------------------	--	--	--	--

ACCESSORIES



Lithium Battery

Parameter: 48V/10AH
Weight: 3KG



Charger

Input: 110V-240V
Output: 54.6V 4A



Spare Switches

Up/Down Switch
Fast and Slow Switch



Ratchet Strap

25x5000mm
Adjustable fixed buckle

Crawler Electric Stair Climber CT150PB

APPLICATION SCENARIOS



APPLICATION SCENARIOS



Residential building



Community Block



Office



Shopping Mall



Hospitals



Factories



ELECTRIC STAIR CLIMBER CT105

- Light-weighted
- Safe
- Easy to Operate



ELECTRIC STAIR CLIMBER CT105


Operation Switch

Point Touch Design, Easy to Operate



Switch Upstairs/Downstairs Switch, Fast/Slow Switch

Battery Play And Plug With Auto Connection Independent Switch, Display battery level and voltage



Brake With Edge Brake And Stairs Hover Function, Avoid Falling Down and Safer to Operate



Armrest Fold-able Aluminum Alloy Armrest, Can Spin in 360 Degree, Adjust Angle On Demand

Crawler Track

Natural Rubber, Non-marking Crawler Track, Wear-resistant and Non-slipping



Trample Area Sturdy, Non-slipping, Can Be Stepped On, Assisted In Operation

Protection Function

IP54 Protection Grade, Closed Actuator

Stairs Mode And Flat Surface Mode Switch




Shift Key

Fast Switch Stairs Mode and Flat Surface Pushing Mode

Stairs Moving Mode



Open the shift key, Switch to Stairs Moving Mode, Safe Moving On Stairs



In the Stairs Corner, you can push directly when the stair climber Tilt 55-90 Degree

Flat Surface Pushing Mode




Can Push Even Turn Off the shift key

ELECTRIC STAIR CLIMBER CT105

Technical Parameter

Model	CT105
Item Weight	19.5KG
Maximum Capacity	105KG
Battery Capacity	600~800 Steps (30~40 Floors)
Low Speed	35 Steps/Min
High Speed	45 Steps/Min
Motor	DC Motor
Noise	<70dB
Protection Grade	IP54
Step Requirement	Height<21CM Width>25CM



ACCESSORIES



Lithium Battery

Battery Capacity: 48V 5AH

Battery Weight: 2.2KG



Charger

Input: AC100V-240V

Output: DC54.6V 2AH



Spare Switch

Upstairs / Downstairs Switch

High / Low Speed Switch



Strap

Size: 55x3700MM

Adjustable Strap Buckle

OPTIONAL FIXTURE



Barrel Fixture

Adjustable Height,
One Click to Fix The Barrel



Cylinder Fixture

Easy And Safe On Stairs



Basket Fixture

Adjustable Height,
Never Fall Down

ELECTRIC STAIR CLIMBER CT105

APPLICATION SCENARIO



APPLICATIONS



Residential Building



Office



Community



Supermarket



Airport



Hospital



Garden



Factory



Ease Your Way To Every Stair!



ติดต่อสอบถาม / ขอใบเสนอราคา
Ins : 089-9606679, 089-2446679 / 038-017323



E-mail : Sales@dacon-trading.com
Website : www.dacon-trading.com
88/9 Moo3 Phala Banchang Rayong 21130



Powered Tug

LFC300

| Small size · Large capacity | Constant Speed Climbing | Easy Operation |



Heavy Cargo Handling Rex

Intelligent and Secure Handling

Self-developed Jinwu technology system to **keep the goods moving smoothly, up and down the slope at a constant speed**



Small Size · Strong Power

Towing capacity 1500kg on flat ground, capable to pull a load of 30 times its own weight.

Smooth all-round steering in place, effortless pushing and pulling, also suitable for vehicle towing

Thoughtful Design

Illuminated for clear visibility of operations in darkened compartments



All-around Control

Multiple safety brake buttons, Paddle control movement, three speed adjustment, easy and convenient operation



Electric lifting

Lifting capacity of 300kg, **easy to lift all kinds of cage trucks,** factory warehouse moving assistant



Inflatable anti-skid tires

Durable rubber tires with asymmetric tread pattern for **efficient skid resistance**



TECHNICAL PARAMETER

Max loaded towing
capacity on flat ground

1500kg

Flat Ground Range

70 minutes
(approx. 8km)

Max Cargo
Load up and Downhill

500kg

Climbing Range

30 minutes
(approx. 3km)

Moving Speed

5km/h

Lifting Capacity

300kg

Item Weight

56.8kg

Lifting Speed

9mm/s

Max Slope

10°

Max Driving Torque

382N·m

Lifting Stroke

60mm

Noise Level

<70dB

Product Size



Package Size



ACCESSORIES



Lithium Battery

Battery Capacity: 48V 7.8Ah

Battery Weight: 2.5kg



Inflator

Convenient pumping,
small size and portable



Charger

Input: 110-240V

Output: 54.6V 4A

APPLICATION SCENARIOS



*Ease Your Way
To Anywhere*



POWERED STAIR CLIMBER

ZW7170G



DESCRIPTION

With capacity of up to 170Kg, ZW7170G will allow you to transfer awkward cargo up and down stairs with just a single operator. It can carry printers, home appliances, furnitures and other goods without any effort. It can help you save huge labour costs.

Solid tyres with brake, Intensive Aluminum alloy frame, simple touch button control and rechargeable battery, make it to be our best-selling product in Europe.



TECHNICAL DATA

Model: ZW7170G

Net Weight: 26 kg

Weight of Battery : 3kg

Capacity: 170kg

Battery Capacity: 68-153 Floors

Climbing Speed: 24 Steps/min (Slow)

34 Steps/min (Fast)

Overall Size: 1590mm*545mm*540mm

Main material: Aluminum alloy

Battery Type: Lithium battery

Charging Voltage: 100V-240V

Charging Time: 3hours

Noise: < 70dB

Brake: Yes

Protection Level: IP54

Fold Size: 1195mm*545mm*308mm

PRODUCT DETAILS



Handle

Rotating operation, adjusting angle, folding, seeking the suitable angle



Run button

Point touch operation button, easy to operate and ensure the safety



Battery

Fast plug design, independent switch to safe, display capacity and voltage



Upstairs/Downstairs Button

Choose the up/down mode

Fast/Slow Button

Choose the speed



Support Wheels

High-abrasive and anti-slip support wheels with polyurethane material

Brake System

Automatic detect staircase edge when downstairs



Loading Board

Foldable loading board, space-saving

APPLICATIONS



POWERED STAIR CLIMBER

ZW7170GF



DESCRIPTION

With capacity of up to 170Kg, ZW7170GF will allow you to transfer awkward cargo up and down stairs with just a single operator. It can carry printers, home appliances, furnitures and other goods without any effort. It can help you save huge labour costs.

Solid tyres, brake system, Intensive Aluminum alloy frame, simple touch button control and rechargeable battery is the same as ZW7170G. Wireless folding design saves space and is more convenient to carry.



TECHNICAL DATA

Model: ZW7170GF

Weight approx. : 26.4 kg

Weight of Battery : 3kg

Capacity: 170kg

Battery capacity: 68-153 Floors

Climbing Speed: 24 Steps/min (Slow)

34 Steps/min (Fast)

Overall Size: 1590mm*545mm*540mm

Main material: Aluminum alloy

Battery type: Lithium battery

Charging Voltage: 100V-240V

Charging Time: 3hours

Noise: < 70dB

Brake: Yes

Protection level: IP54

Fold Size: 770mm*545mm*308mm

PRODUCT DETAILS



Handle

Rotating operation, adjusting angle, folding, seeking the suitable angle

Fold frame

Fold design, Convenient to carry and store



Run button

Point touch operation button, easy to operate and ensure the safety



Folding structure

Wireless folding, convenient and safe.

Battery

Fast plug design, independent switch to safe, display capacity voltage



Upstairs/Downstairs Button

Choose the up/down mode

Fast/Slow Button

Choose the speed



Loading Board

Foldable loading board, space-saving



Support Wheels

High-abrasive and anti-slip support wheels with polyurethane material

Brake System

Automatic detect staircase edge when downstairs

APPLICATIONS



Electric Moving Cart LFC170F3

- Safe Handling
- Automatic Lifting
- Convenient Vehicle Carrying



Electric Moving Cart LFC170F3



Item Details




Ease Your Way To Anywhere!

Electric Moving Cart LFC170F3

Technical Parameter



Electric Drive----Mile Range-Speed Capacity



Item Weight

53.8KG



Maximum Capacity

170KG



Max Lifting Height

800MM



Lithium Battery

48V/10Ah



Maximum Climbing Gradient

15°



Auxiliary Ground Support Wheel

YES



Handrail

Optional



Motor Brake

YES



Output Motor Parameter

48V120W



Driving Motor Output

48V500W



Noise Level

<70dB



Protection Grade

IP33

Electric Moving Cart LFC170F3

Product Size



Standard Dimension


1285MM



819MM



671MM



1045MM


1250MM

Vertical Distance
From Butoon
to Ground
904MM



Extended Handrail

1480MM



819MM



671MM



1131MM

1371MM

Vertical Distance
From Butoon
to Ground
1113MM

ACCESSORIES



Lithium Battery

Battery Capacity: 48V 10AH

Battery Weight: 3.2KG



Charger

Input: 100V-240V

Output: 54.6V 4A



Safety Strap

Size: 25x1500MM

Self-retracting Ratchet Strap

Electric Moving Cart LFC170F3



PRODUCT FUNCTIONS



APPLICATIONS



Warehouse



Factory



Shopping Mall



Hospital

Ease Your Way To Anywhere!



ติดต่อสอบถาม / ขอใบเสนอราคา
Ins : 089-9606679, 089-2446679 / 038-017323



E-mail : Sales@dacon-trading.com
Website : www.dacon-trading.com
88/9 Moo3 Phala Banchang Rayong 21130

CRAWLER STAIR CLIMBER

CT250SA

| Intelligent Control Balance | Efficient and Fast Delivery | One Touch Easy Operation |



EASY AND EFFICIENT DISTRIBUTION ASSISTANT

Intelligent Self-Balancing

Autonomous MengChong technology system,
It is built-in gyroscope precise sensor,
Self-balancing when going up and down stairs,
The center of gravity of the goods is always stable.



Strong Drive and Efficient Delivery

200KG of super-strong load capacity,
43~53 steps per minute,
delivering food and carrying goods to save time and energy.

Built in 400W brushless direct current motor,
sufficient power and stable output.



Different Modes, One Click to Change

Simple button design, **quick** switch modes in one second, flexible movement on stairs and flat ground.



**Point Touch Switch ,
Stop and Go
Wherever You Like**

Safe Protection

Support wheel assisted transitions,
Smooth automatic landing,
Securing access to the last staircase.



Folding Design

Easy to carry & store



TECHNICAL PARAMETER

Maximum Capacity

250kg

Item Weight

75kg

Upstairs Speed

43 Steps/min

Battery Capacity

1136 Steps

Downstairs Speed

53 Steps/min

Motor Parameter

48V 500W

Step Height

<210mm

Step Angle

25°~33°

Loading Plate Dimension 700x706mm

Mini Turning Platform

1300*1300mm


Noise Level

<70dB

Protection Grade

IP33

Size



ACCESSORIES



Lithium Battery

Battery Capacity: 48V 10AH

Battery Weight: 3.2KG



Strap

Size: 2.5CM*5M

Adjustable Strap Buckle



Charger

Input: 100V-240V

Output: 54.6V 4A

APPLICATION SCENARIOS



*Ease Your Way
To Anywhere*



HANDLER

SCL170AC

Handler is a versatile appliance
with stair climbing and lifting functions



DESCRIPTION

SCL170A is a multi-function equipment that qualified for stair climbing and lifting. It is one of our best technical appliances. Our R&D team has developed and applied many intelligent technologies to ensure safe and convenient usage. 170kg is the capacity for both stair-climbing and lifting functions. Besides, with its automatic height-adjusting loading board, it can also be useful when stacking goods.

Application: Logistics, delivery, loading and unloading cargo to/from trucks, moving furnitures and household appliances and other industries, as well as factories, warehouses, offices, residential buildings, outdoor stairs and other places.



TECHNICAL DATA

Model: SCL170AC

Net Weight: 54.8kg

Lifting Capacity: 170kg

Maximum Height: 1025mm

Lifting Stroke: 1000mm

Lifting Times: 320-370 times

Lifting Speed: 31s/m

Climbing Capacity: 170kg

Climbing Speed: 22-36 steps/min

Battery Capacity : 52-117 Floors

Weight of Battery: 3kg

Noise: < 70dB

Protection Level: IP54

Overall Size: 1410mm*585mm*650mm

PRODUCT DETAILS



Multi-function

Stair-climbing, lifting, flat ground transportation, lift itself up/down the truck



Battery

Quick plug-in and install, large capacity



Safety Insurance Technology

Emergency stop, automatic brake system, position limited detection



Automatic Height-adjusting loading board

Useful when stacking goods



Self-lifted Up & Down

Easy to carry around and store without effort with the truck



Foldable Outrigger

Best support for different function with lay-down and foldable position

APPLICATIONS



ELECTRIC STAIR CLIMBER

CT310

- Intelligence
- Safe
- Heavy Duty



ELECTRIC STAIR CLIMBER CT310



Armrest

Sturdy And Durable,
Telescopic Height Adjustment

Fuselage Vertical Beam

I-beam Design With Aluminium
Alloy Unibody Tube



Folding Of The Handrail

The Handrail Can Be Folded
By Removing The Knob,
Making It easy To Transport And Store



Joystick Controller

One Finger Control
From One Mode to Another
With Specific Wire Control



Knob Fixing

Easy Twist To Adjust Armrest
Height As Required

Battery Pack

Play & Plug With Auto Connection,
Independent Switch,
Display Battery Level and Voltage

Loading Plate

Adjust The Loading Angle
Automatically and
Secure the Cargo In Balance

Universal Wheel

Easy to Push and Manoeuvre

Crawler Track

Independent, Non-slipping &
Non-marking

ALL IN ONE WIRE CONTROLLER



Function Display Screen

Multi-functional

Joystick

Functional Buttons Instruction



Power Switch



Decrease Speed



Increase Speed



Speaker



Mode Switch



Support Wheel Auto On/Off



This button is a dedicated function key for CT420SC product, it is not valid for other products!

ELECTRIC STAIR CLIMBER CT310

TECHNICAL PARAMETER



Item Weight

72KG




Maximum Capacity

310KG




Battery Capacity

1400-1600 Steps(78~100 Floors)



Upstairs Speed

14.6 Steps/Min(High Speed)



Downstairs Speed

15.4 Steps/Min(High Speed)




Size



Battery Parameters

25.2V 17.5Ah, Weight:3.1KG




Step Requirement

Height<21CM



Minimum Platform

1500x1500mm(Required Size For Stair Corner)



Motor Parameter

DC Motor 24V 150W*2



Noise

<70dB



Protection Grade

IP54

ACCESSORIES



Charger

Input: AC100-240V

Output: DC29.4V 4A



Adjustable Safe Belt

Length: 6000MM

Width: 55MM



Ramp ZX400

Load Capacity: 520KG

Rise of Loading Board: 600-800MM



Electric Mini Lift ELS420

Load Capacity: 420KG

Minimum Cargo Width: >790MM

ELECTRIC STAIR CLIMBER CT310

APPLICATION SCENARIO



APPLICATIONS



Precision Instrument



Furniture and Appliance



Office Equipment



Vending Machine



Electronic Equipment



Oil Drum



Ease Your Way To Anywhere



ELECTRIC STAIR CRAWLER CT420S

- Intelligent
- Safe
- Durable



ELECTRIC STAIR CRAWLER CT420S

Multi-functional Handler

Extend to Adjust Handler Height, Rotate to Adjust Handler Angle



Joystick

One Finger Control From One Mode to Another With Specific Wire Control



Belt Fixed Mobile Beam

Easy Installation With Adjustable Height

Loading Board

Adjust The Loading Angle Automatically and Secure the Cargo In Balance



Universal Wheel

Easy to Push and Manoeuvre



Assisted Support On The Last Staircase

100% Wire Control Without Manpower

420 KG

Loading Up to 420KG
On Flat Surface And Stairs



Crawler Track

Independent,
Non-slipping & Non-marking



Manoeuvring In
Narrow Space

ALL IN ONE WIRE CONTROLLER



Function Display Screen

Multi-functional

Omnidirectional Joystick

Functional specifications:

- | | |
|-----------------|--------------------------------|
| Power Switch | Loading Board Manual Adjust |
| Speed Plus | Loading Board Auto Adjust |
| Speed Reduction | Rear Support Wheel Auto Extend |
| Speaker | Rear Support Wheel Extend |
| Turn left | Rear Support Wheel Withdraw |
| Turn right | |

ELECTRIC STAIR CRAWLER CT420S

Technical Parameter

Model	CT420S
Maximum Capacity	420KG
Item Weight	102KG
Battery Capacity	1400-1600 Steps (78~100 Floors)
Upstairs Speed	10~13 Steps/Min
Downstairs Speed	13~16 Steps/Min
Motor	DC Motor
Noise	<70dB
Protection Grade	IP54
Step Requirement	Height<21CM
Minimum Platform Size	1500x1500MM (Stairs Corner)



ACCESSORIES



Battery Pack

Parameters: 24V 17.5AH
Weight: 3.1KG



Charger

Input: AC100-240V
Output: DC29.4V 4A



Adjustable Safe Belt

Length: 6000MM
Width: 55MM



**Height Adjustable
Mobile Beam**

Adjustable Installation Height

OPTIONAL FIXTURE



Ramp ZX400

Size: 1050x687x633MM
Load Capacity: 520KG
Net Weight: 19.6KG
Rise of Loading Board: 600-800MM



Electric Mini Lift ELS420

Load Capacity: 420KG
Net Weight: 18KG
Minimum Cargo Width: >980MM
Minimum Ground Clearance: >12MM



ELECTRIC STAIR CRAWLER CT420S

APPLICATION SCENARIO



APPLICATIONS



Precision Instrument



Large Home Appliance



Office Equipment



Vending Machine



Safety Box



Oil Drum



Ease Your Way To Every Stair!